



**NOTICE:
READ BEFORE OPENING PACKAGING:**

OPENING THE PRODUCT PACKAGING AND UTILIZING THE PRODUCT INDICATES YOUR ACCEPTANCE OF THE FOLLOWING:

WARNING:

THIS APG FUEL CELL IS DESIGNED TO CONTAIN FUEL IN A RACING VEHICLE. BUYER ACKNOWLEDGES THAT AUTOMOBILE RACING IS AN INHERENTLY DANGEROUS ACTIVITY AND ASSUMES ALL RISK ASSOCIATED WITH RACING AND WORKING WITH RACE VEHICLES. BUYER IS RESPONSIBLE FOR ASSURING THAT ALL PERSONS BUYER AUTHORIZES TO UTILIZE OR WORK WITH THIS PRODUCT AGREE TO THIS ASSUMPTION OF RISK.

Buyer must assure the fuel cell is inspected for damaged or worn parts and material prior to each race and after each accident. This fuel cell must not be utilized if damaged, cracked or torn until properly repaired by APG or an APG authorized repair facility. Swollen or blistered material indicates the introduction of improper liquids to the fuel cell and may result in product's failure. Modification, failure to maintain, improper storage or improper installation of the fuel cell may result in the fuel cell's failure.

LIMITED WARRANTY / DISCLAIMER:

Alliance Performance Group, Inc. ("APG") warrants that the enclosed APG Fuel Cell will be free from defect in workmanship or material for a period ending 2 years after APG's manufacture date. This limited warranty shall not apply to purchases of new or used APG Fuel Cells from unauthorized third parties.

At the time of purchase, buyer must complete and return the enclosed Limited Warranty Card. Buyer must notify APG of any defect within 90 days after purchase date and return the defective product to APG within 30 days thereafter. APG, at its option, will repair or replace free of charge to buyer, any fuel cell returned to APG within the required time period which APG determines is defective in workmanship or material. Buyer will be responsible only for shipping costs. This Limited Warranty does not apply to any claimed defect that resulted from buyer's failure to follow the attached procedures and product information, buyer otherwise repairing, misusing, abusing or altering the product or buyer utilizing the product in a tank for which the APG fuel cell was not designed.

APG makes no other warranties, written, stated or implied regarding this product. The above Limited Warranty represents buyer's only remedy with respect to the product. APG expressly disclaims any warranty of merchantability, fitness of purpose or other perceived warranty.

Alliance Performance Group, Inc.
65 Columbia 300, Magnolia, AR 71753
Phone (870) 235-1300 Toll Free 877-235-1388 Fax (870)235-1301
Web address www.winapg.com
Email us at info@winapg.com

ATTENTION:

Read before installation

- In cold weather, your bladder may be stiff and hard to work with. Two minutes with a hair dryer down in the bladder will alleviate this problem. Be sure not to leave the dryer right next to the wall of the bladder, as it may burn or scorch.
- Removal of the top ring is NOT necessary when installing the bladder into the hard tank. The ring has been attached with a sealer and has received 60 inch pounds of torque before it leaves the manufacturer. **DO NOT REMOVE THE TOP RING!** To install, simply heat, fold, and push the bladder through the front opening of the tank. Attach by lifting the pickup ring and aligning the pickup in the hard tank with that of the bladder. The bolts and washers are supplied and can be found in the component kit, which is inside your bladder upon arrival. Once attached, make sure the bladder is completely unfolded and forms to the inside of the hard tank as much as possible.
- If your bladder is equipped with a filter, the hose has already been attached to the filter; however, we do not install a hose clamp. If you wish to do that after market, please follow these instructions. Reach into the bladder through the top ring. Put your hand through the slit that is cut into the baffle, grab the filter and pull it out with the hose still attached. To reinstall, feed the hose through the anchor that is built in the back for the filter, and through the hole in the baffle. Then, seat the filter back into its' anchor and attach the hose to the bulkhead.
- **It is your responsibility to check the inside of the hard tank for any bolt ends or loose materials that may be abrasive to the bladder.**
- We have also included a list of correct and incorrect procedures. Please read before installation.

If you have any further questions about proper installation, please contact us toll free at 1-877-235-1388.



In order to receive the best performance from your *APG Fuel Cell* we have compiled a list of correct and incorrect procedures.


CORRECT PROCEDURES

1. Read and Understand all product information before you begin.
2. Be sure to return your warranty card to APG upon receipt or warranty is void.
3. For Methanol use only!!!
4. Use a fuel filter between the fuel cell and fuel pump.
5. Allow for adequate ventilation.
6. Be sure fuel cell lid is properly grounded to chassis.
7. Always drain fuel cell for storage and protect with an approved rubber protectant. Store away from light and moisture. Do not use petroleum based products on or near fuel cells.
8. Always do a fit test on tank and mounting brackets before installing fuel cell.
9. For easy installation inside hard tank (especially in cold climates) soften bladder walls by warming interior with a blow-dryer, set on a warm setting.
10. Contact Alliance Performance Group, Inc.

INCORRECT PROCEDURES

1. Gasoline is never to be used in fuel cell.
2. Make no attempts to repair your fuel cell.
3. Never use unapproved additives.
4. Fuel cell is never to be pressurized or inflated.
5. Never modify tank while fuel cell is installed.
6. Mounting bolts should never be torqued in excess of the bolts specifications.

Alliance Performance Group, Inc.
65 Columbia 300, Magnolia, AR 71753
Phone (870) 235-1300 Toll Free 877-235-1388 Fax (870)235-1301
Web address www.winapg.com
Email us at info@winapg.com



ALLIANCE PERFORMANCE GROUP, INC.
Limited Warranty Card

Model No. _____ Serial No. _____ DOM _____ Date of Purchase _____

PURCHASED BY:

NAME _____

ADDRESS _____

CITY _____

STATE _____ ZIP _____

TELEPHONE _____

YOUR SIGNATURE _____


DEALER:

NAME _____

ADDRESS _____

CITY _____

STATE _____ ZIP _____



COMPLETE & RETURN TO REGISTER WARRANTY
(Warranty void if not returned)

Alliance Performance Group, Inc.
Phone (870) 235-1300 • Toll Free (877) 235-1388 • Fax (870) 235-1301
Web address www.winapg.com
allianceperformanc@sbcglobal.net

Place
Stamp
Here

Alliance Performance Group, Inc.
65 Columbia 300
Magnolia, AR 71753